



ILLINOIS



UIUC Energy Report


Fiscal Year 2015

Summary

The Urbana-Champaign Campus of the University of Illinois has made substantial commitments towards conserving energy and other utilities and has made significant progress toward our sustainability goals published in the Illinois Climate Action Plan (iCAP.) Recently, the Utilities and Energy Services Division of Facilities & Services (F&S) created an energy report to inform campus leadership and management teams regarding progress towards meeting our goals.


During 2015, the Urbana-Champaign campus used a total of 4,651,455 Million BTU's (MBTU) for the entire campus served by campus utilities. A BTU (or British Thermal Units) is a unit of heat measurement used to common-size all energy input sources like electricity and fuels. Over the utility service area of 20,553,564 gross square feet, this factors out to 226,318 BTU's per square foot, also known as the Energy Utilization Index or EUI. We use the EUI to compare and contrast energy utilization and density in our buildings. An average household, according to the Energy Information Administration, uses 46,100 BTUs per gsf over the course of a year. In total, a household of 2,000 sf in the Midwest would use a total of 92.2 MBTU's. Thus the campus usage is the equivalent of 52,400 households. Please note for the purposes of providing meaningful comparisons, the data from the National Petascale Computing Facility (Petascale) has been omitted.

In contrast, during FY 2014 the campus used a total of 4,831,343 MBTUs or 230,028 BTUs per gsf. The decrease of 1.6% can be attributed to weather differences and energy conservation. Overall since 2007, the UIUC campus has decreased usage from 312,124 BTUs per sf to 226,318 BTUs per sf; **a decrease of 27.5%**. Much of this decline can be attributed to the investments in retro-commissioning existing buildings and new buildings with higher energy efficiencies. While much progress has been made since 2007, the rate of reduction has slowed as shown in the chart below:



College and Unit Reports

In terms of college, auxiliary and unit usage, since 2012, 17 have shown overall reductions in energy consumption expressed in terms of BTUs per gsf, while 10 showed some increase. There are a variety of reasons including research energy intensity, changes in building use and building density, and weather that could affect this. The following chart shows these units on campus and a four-year history of EUI:




The data on the above chart is compiled from our Energy Billing System database which allocates usage and cost to departments and administrative units depending on their space allocation of a building. Mitigating factors, such as fume hoods and animal rooms are energy intensive resources and drive a higher proportionate share of the building allocation depending on the amount of outside air exchanged. The indices used for building space allocation are downloaded from the Archibus building space management system once per semester and used to allocate cost and usage to each department.

The attached reports reflect usage cost and energy intensity cost and usage for all building space allocated to the unit or department and is described below:

Energy Utilization Index

EUI- BTUs per GSF

This section compares the campus building average usage per gsf with the usage of the college or administrative unit. All energy usage in a building is converted to BTUs, aggregated and divided by the amount of square footage in the building space allocated to the unit.




Historical Usage Data

The remaining charts on the page show the energy consumption trends by year in BTUs per sf and in total energy expenditures. In the commodity chart, usage trends are broken down by type of commodity used.

Comparison of UIUC Building Types

The report also includes a reference to typical UIUC building spaces and their average Energy Utilization Indices by type. This information was provided by the UIUC Energy Billing System database.

Average BTUs per gsf - UIUC Campus Buildings






Includes: Beckman Institute, Institute for Genomic Bio, Surveys, NCSA
ISTC, Nat'l Soybean Research Lab, and small pieces of other bldgs.

The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

191.17% MORE Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

1.14% MORE energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

39.24% MORE Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

EUI Rankings by UIUC Building Type



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

6.57% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

34.12% MORE Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

EUI Rankings by UIUC Building Type



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

0.74% MORE energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

43.74% MORE Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



EUI Rankings by UIUC Building Type	
Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

6.55% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

41.39% MORE Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



EUI Rankings by UIUC Building Type	
Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

4.26% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

41.93% MORE Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

0.99% MORE energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

34.73% MORE Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



EUI Rankings by UIUC Building Type	
Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

4.38% MORE energy than the prior year.





Facilities and Services (LG) School of Labor & Employment Relations Energy Report 2015


Utilities and Energy Services

The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

18.80% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

EUI Rankings by UIUC Building Type



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

20.25% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

1.99% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

EUI Rankings by UIUC Building Type



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

7.47% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

4.93% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

EUI Rankings by UIUC Building Type



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

3.01% MORE energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

29.30% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



EUI Rankings by UIUC Building Type	
Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

24.74% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

14.54% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

9.61% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

29.41% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

EUI Rankings by UIUC Building Type



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

13.02% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

34.95% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

7.95% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

36.07% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

EUI Rankings by UIUC Building Type



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.


Comparing last year's usage to this year's usage you have utilized

0.30% LESS energy than the prior year.



The purpose of this report is to:
 *Provide Information concerning energy cost
 *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes **27.36%** LESS Energy than the Campus average.





Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized **4.74%** LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

39.91% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

9.62% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

30.87% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

EUI Rankings by UIUC Building Type



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

5.66% MORE energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

44.83% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



EUI Rankings by UIUC Building Type	
Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

14.09% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

56.01% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



EUI Rankings by UIUC Building Type	
Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

30.42% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

61.20% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



EUI Rankings by UIUC Building Type	
Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

28.48% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

38.10% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

EUI Rankings by UIUC Building Type



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

8.16% MORE energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

45.31% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



EUI Rankings by UIUC Building Type	
Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

1.56% MORE energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

47.65% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

5.19% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

53.28% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

EUI Rankings by UIUC Building Type



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

4.29% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

54.10% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

12.33% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

62.53% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

EUI Rankings by UIUC Building Type



Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

10.75% LESS energy than the prior year.






The purpose of this report is to:

- *Provide Information concerning energy cost
- *Track your energy utilization compared to prior periods

College Comparison | Currently your college utilizes

65.67% LESS Energy than the Campus average.



Campus Energy Utility Index (EUI) is calculated by deriving the total BTUs consumed by net assignable square feet for your college.

EUI Rankings by UIUC Building Type

Building Type	Avg of BTU_PER_SQFT
Recreation/Athletic Center/Gymnasium	335,758.78
Medical Office/Clinic	293,505.43
Laboratory	212,882.62
Classrooms/Educational/Library	174,547.77
Office	173,283.46
Dormitory/Ward	95,832.73

Source: F&S Energy Billing System

*The energy index combines natural gas (therms), chilled water (MBtu), Steam (Klbs), electricity (KWh) into a single measurement.

Comparing last year's usage to this year's usage you have utilized

14.30% MORE energy than the prior year.

