

Conservation

Self-Audit Checklist

Use this Self-Audit Checklist if you would like to encourage sustainable practices within your facility. Return the completed form to the Division of Safety and Compliance (S&C), we will review your answers and provide follow-up compliance assistance as necessary.

Facility:				Date:
Room	: <u> </u>			Reviewer:
Conse	ervatio	n Prac	tices:	
Yes	No	Not Sure □	N/A □	Have I posted water conservation signs near sinks?
				Have I posted electricity conservation signs near light switches and computers?
				Are recycling receptacles provided on every building floor?
				Are trash receptacles provided outside of the building?
				Are windows properly caulked to prevent drafts?
				Can windows be opened as necessary and appropriate?
				Are native plants incorporated into the landscape design?
				Have I posted signs near printers encouraging the use of the "double sided" option?
				Do I grow plants in the building?
				Have I arranged for dye testing of internal building floor drains, including those located in janitor closets?
				Have I posted "anti-idling" signs near loading docks?
				Do I promptly report leaky faucets?
				Have I begun recycling programs for batteries and ink-jet cartridges?
				Are compact fluorescent light bulbs being used instead of incandescent bulbs?
				Do I buy products with recycled components?
П	П	П	П	Do Luse biodegradable cleansers?



Conservation

Self-Audit Checklist

Notes	
	_
	_
	_
	_